



LevelSys B-Mini

Technology For The Tank

Brass/SS Point Level Sensor



If your application requires control of the liquid by monitoring low or high alarms, the sensing elements should have:

- ✓Chemical compatibility
- ✓Tightness (one piece concept)
- ✓Single Point Level detection
- ✓Custom design
- ✓Robust connector
- ✓OEM inventory available
- ✓Made in EU



„...Designed for High and Low Level Alarms...”



SPECIFIC

Designed for you



MEASURABLE

Impacts your business



ACHIEVABLE

From idea to success



RELEVANT

Serves your application



TIME-BOUND

Built on time

IDEATION

DESIGNING


PROTOTYPING

TESTING

MANUFACTURING



OEMSYS Sp. z o.o.
Fabryczna 1
34-600 Limanowa
Poland



Technical specification	
Material	Brass/SS
Operating temperature	0..100 °C
Max pressure	1 bar
Thread	M12
Length L	44 mm
O-ring	NBR
Float diameter	25 mm
Fluid minimum gravity	0,8
Output	NO/NC
Accuracy	5 mm
Housing	IP 67
Electrical connection	M8-A
Alarms rating	10 W
Certification	CE

LevelSys B-Mini - Thread - Alarm - Electrical connection

M12-M12
M12N-M12, nut provided
S-Special

O-NO
C-NC

M8-M8-A
3-0,3 [m]
S-Special

Consult factory for more options. **S-Special:** Please provide more details.

* NO/NC means output condition at NO LIQUID/Tank is empty

IDEA	DESIGN	PROTOTYPING	TESTING	MANUFACTURING
------	--------	-------------	---------	---------------

OEMSYS smart system solutions | **OEMSYS Sp. z o.o.**
 Fabryczna 1
 34-600 Limanowa
 Poland

DTS/0047 Rev.1

+48 18 33 01 154 | WWW.OEMSYS.EU
 INFO@OEMSYS.EU